



Profili laminirani od inoxa
Profili laminati in acciaio inox
Profiles laminated in inox

Kvalitet Qualita' Quality	Cmax	Cr	Ni	Mn max	P max	S max	Si max	Mo	Rm N/mm2	Rp 0,2 N/mm2	Alon
AISI 304 (1.4301)	0,07	17-19,5	8-10,5	2	0,045	0,015	1		500-700	195 min	35 min
AISI 304L (1.4306)	0,03	18-20	10-12	2	0,045	0,015	1		500-700	175 min	45 min
AISI 316 (1.4401)	0,07	16,5-18,5	10-13	2	0,045	0,015	1	2-2,5	510-710	205 min	40 min
AISI 316L (1.4404)	0,03	16,5-18,5	10-13	2	0,045	0,015	1	2-2,5	490-690	190 min	40 min

Dimenzije Dimensioni Dimensions (mm) (a x b x c)	Težina Peso Weight (kg/mt)
20 x 20 x 3	1,01
20 x 20 x 4	1,31
25 x 25 x 3	1,29
25 x 25 x 4	1,67
30 x 30 x 3	1,56
30 x 30 x 4	2,05
30 x 30 x 5	2,51
35 x 35 x 3	1,84
35 x 35 x 4	2,4
40 x 40 x 3	2,12
40 x 40 x 4	2,78
40 x 40 x 5	3,42
50 x 50 x 4	3,52
50 x 50 x 5	4,34
50 x 50 x 6	5,14
60 x 60 x 6	6,23
80 x 80 x 8	11,07
100 x 100 x 10	17,36