



## Cijevi okrugle bešavne od inoksa Tubi tondi senza saldatura in inox Round Pipes without weld in inox

Kvalitet Qualita' Quality	Cmax	Cr	Ni	Mn max	P max	S max	Si max	Mo	Rm N/mm2	Rp 0,2 N/mm2	Alon
AISI 304 (1.4301)	0,07	17-19,5	8-10,5	2	0,045	0,015	1		500-700	195 min	35 min
AISI 304L (1.4306)	0,03	18-20	10-12	2	0,045	0,015	1		500-700	175 min	45 min
AISI 316 (1.4401)	0,07	16,5-18,5	10-13	2	0,045	0,015	1	2-2,5	510-710	205 min	40 min
AISI 316L (1.4404)	0,03	16,5-18,5	10-13	2	0,045	0,015	1	2-2,5	490-690	190 min	40 min

DN	Sch.	Diametar Diametro Diameter (mm)		Deblj Spes Thick (mm)	Težina Peso Weight (kg/mt)
-	-	6	x	1	0,125
-	-	6	x	1,25	0,149
-	-	6	x	1,5	1,169
-	-	6,35	x	0,91	0,1224
-	-	6,35	x	1,24	0,159
-	-	6,35	x	1,65	0,194
-	-	8	x	1	0,175
-	-	8	x	1,5	0,224
-	-	8	x	2	0,3
-	-	9,53	x	0,91	0,196
-	-	9,53	x	1,24	0,257
-	-	9,53	x	1,65	0,326
-	-	10	x	1	0,225
-	-	10	x	1,5	0,319
-	-	10	x	2	0,401
6	-	10,2	x	1,24	0,281
-	-	10,2	x	2,41	0,476
-	-	12	x	1	0,2756
-	-	12	x	1,5	0,394
-	-	12	x	2	0,501
-	-	12,7	x	0,91	0,269
-	-	12,7	x	1,24	0,358
-	-	12,7	x	1,65	0,457
-	-	12,7	x	2,11	0,56
8	10	13,72	x	1,65	0,499
8	40	13,72	x	2,24	0,644
8	80	13,72	x	3,02	0,809
-	-	14	x	1	0,326
-	-	14	x	1,5	0,47
-	-	14	x	2	0,601
-	-	15	x	1	0,351
-	-	15	x	1,5	0,507
-	-	15	x	2	0,651
-	-	16	x	1	0,376
-	-	16	x	1,5	0,545
-	-	16	x	2	0,701
10	10	17,15	x	1,65	<b>0,64</b>
10	40	17,15	x	2,31	0,858
10	80	17,15	x	3,2	1,118
-	-	18	x	1	0,426
-	-	18	x	1,5	0,62
-	-	18	x	2	0,801

DN	Sch.	Diametar Diametro Diameter		Deblj Spes Thick	Težina Peso Weight Kg./mt.
-	-	19,05	x	1,24	0,553
-	-	19,05	x	1,65	0,719
-	-	19,05	x	2,11	0,895
-	-	19,05	x	2,77	1,129
-	-	20	x	1	0,476
-	-	20	x	1,5	0,695
-	-	20	x	2	0,901
-	-	20	x	2,5	1,096
-	-	20	x	3	1,277
-	-	21,34	x	1,65	0,814
-	-	21,34	x	2,11	1,014
-	-	21,34	x	2,77	1,288
-	-	21,34	x	3,73	1,645
-	-	21,34	x	4,78	1,982
-	-	22	x	1,5	0,77
-	-	22	x	2	1,002
-	-	25	x	1,5	0,883
-	-	25	x	2	1,152
-	-	25	x	2,5	1,409
-	-	25	x	3	1,653
-	-	25,4	x	1,65	0,981
-	-	25,4	x	2,11	1,231
-	-	25,4	x	2,77	1,57
20	5	26,67	x	1,65	1,034
20	10	26,67	x	2,11	1,298
20	40	26,67	x	2,87	1,71
20	80	26,67	x	3,91	2,228
20	160	26,67	x	5,56	2,939
-	-	-	x	1,5	0,995
-	-	-	x	2	1,302
-	-	30	x	1,5	<b>1,07</b>
-	-	30	x	2	1,402
-	-	30	x	2,5	1,722
-	-	30	x	3	2,028
25	10	33,4	x	2,77	2,125
25	40	33,4	x	3,38	2,541
25	80	33,4	x	4,55	3,287
25	160	33,4	x	6,35	4,301
25	5	33,7	x	1,6	1,286
25	-	33,7	x	2	1,588
-	-	35	x	2	1,653
-	-	38	x	2,6	2,305
-	-	38	x	3	2,629
-	-	40	x	2	1,903
-	-	42,16	x	2	2,023
32	10	42,16	x	2,77	2,763
32	40	42,16	x	3,56	3,48
32	40	42,16	x	4,85	4,531
32	80	42,16	x	6,35	5,694
-	-	44,5	x	2	2,128
-	-	44,5	x	2,5	2,629
-	-	48,26	x	2	2,319
40	10	48,26	x	2,77	3,155
40	40	48,26	x	3,68	4,108
40	80	48,26	x	5,08	5,493
40	160	48,26	x	7,14	7,352
-	-	60,3	x	2	2,92
50	10	60,3	x	2,77	3,99
50	40	60,3	x	3,91	5,521
50	80	60,3	x	5,54	7,596

DN	Sch.	Diametar Diametro Diameter		Deblj Spes Thick	Težina Peso Weight Kg./mt.
50	160	60,3	x	8,74	11,284
50	-	60,3	x	11,07	13,655
-	-	70	x	2,9	4,873
65	10	73,03	x	3,05	5,345
65	40	73,03	x	5,16	8,769
65	80	73,03	x	7,01	11,584
-	-	76,1	x	2	<b>3,711</b>
-	-	76,1	x	2,9	5,315
-	-	76,1	x	3,65	6,622
-	-	76,1	x	6,3	11,011
80	10	88,9	x	3,05	6,557
80	-	88,9	x	4	8,504
80	40	88,9	x	5,49	11,466
80	-	88,9	x	6,3	13,03
80	80	88,9	x	7,62	15,509
80	160	88,9	x	11,13	21,674
90	-	101,6	x	3,05	7,526
90	-	101,6	x	5,74	13,778
90	-	101,6	x	8,08	18,921
-	-	108	x	4	10,417
100	10	114,3	x	3,05	8,496
100	-	114,3	x	4,5	12,372
100	40	114,3	x	6,02	16,322
100	80	114,3	x	8,56	22,665
100	160	114,3	x	13,49	34,053
-	-	133	x	4	12,921
125	10	141,3	x	3,4	11,74
125	40	141,3	x	6,55	22,101
125	80	141,3	x	9,53	31,444
125	160	141,3	x	15,88	49,871
150	10	168,3	x	3,4	14,037
150	40	168,3	x	7,11	28,694
150	80	168,3	x	10,97	43,211
150	160	168,3	x	18,26	68,594
200	40	219,1	x	8,18	43,202
200	80	219,1	x	12,7	65,637
250	-	273	x	9,27	61,217
250	-	273	x	12,7	82,777